

Prog.	Description	Quantity
Shelf 500		
1	Graphite chain 92 x 195	1
2	chain in graphite wire 6 mm 65 xh 160	1
3	wire graphite chain 12 mm 65 x h125	1
4	graphite diameter extensions 65 for wire	4
5	graphite crucible Volcano 7	1
6	graphite plate chain x 38 x 10	1
7	graphite die for tube diameter 65 38/26 x 20	2
8	chain extension graphite diam 80 for plate 50 x 5	1
9	complete equipment for core wire 10 mm diameter. Crucible + chain TG 08	2
10	graphite dies for wire diam. 6 mm. 65 x shank 40 TG 2020	8
11	graphite dies for wire diam. 10 mm x 65 shank 40	3
12	chain graphite diameter of 8 mm.	1
13	Graphite chains diam. 5 shank 50 to be machined	15
14	in graphite dies 4-wire diam 10 mm. Diam 92	2
15	graphite chain in 4-wire diam. 8 mm. diam 92	1
16	chain in graphite tube diam. 20diam. 65 shank 50	1
17	chain graphite tube diam 16 diam 65 shank 50	1
18	chains in graphite tube 30. diam diam. 65 shank 50	3
19	graphite chain two wires diam. 6 mm. Diam. 65 shank 50	2
20	graphite chain two wires diam diam 8 65 shank 50	1
21	graphite die for flat 7 x 7 mm. Diam. 65 shank 50	1
22	chain + graphite crucible for flat 75x10 diam 92	1
23	graphite crucible h 310 diam. 170	2
24	+ graphite crucible chain Conrady B642 diam 92	1
25	crucible + graphite die for tube diam. 110	1
26	+ graphite crucible chain diam 10 mm diam. 65 HK15 and HK2	3
27	+ graphite crucible chain diam 10 diam. 65	1
28	extension graphite plate for 65 x 5 diameter 92	1
29	extends into graphite plate diameter 120 x 15 145 h 155	1
30	graphite crucible FCC12 EK432	1
31	graphite crucible diam 105 xh 195	1
32	graphite crucible diameter. 92 x H 140	2
33	graphite crucible diameter. 86 x H 117	1
34	graphite crucible diameter. 94 xh 160	1
35	graphite crucible diam 88 xh 260	2
36	graphite crucible diameter. 90 xh 190	1
37	Graphite Extension diam. 120 xh 68	1
38	shirt + graphite crucible diam 100 xh 170	1
39	Ceramic shirts FCC 60	2
40	Ceramic shirts FCC 25	2
41	Ceramic shirt OPC A03	1
Shelf 501		
42	ceramic rings for FCC diam.150 lid 130 x H70	16

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

Prog.	Description	Quantity
43	graphite crucible FCC 25 diam. ninety two	1
44	graphite crucibles FCC 12 diam 65, OP234	8
45	crucible spellings FCC16 diam 92	1
46	graphite crucible FCC16 diam 80 B660 / XN	2
47	graphite crucible FCC 7 diam 65	2
48	graphite crucible VOLCANO Diam.65	7
Shelf 502		
49	tape lamination for FN02 70 x 5080 mm	9
50	tape lamination for FN40 70 x 9050 mm	9
51	front panel FR alu 1st series	5
52	front panel casting OPC	6
53	Front panel FN alu 1st series	4
54	Front panel FN alu last series	10
55	Front panel FN alu 2nd series	4
56	various heat sinks for FS 123	30
57	Power transformers 250 W 4 cod. 52110042	7
58	box sheet for 2010 power plant	4
59	power transformer LARGE U93 ROHS 2002/95 / EC	12
60	windings 63 copper coils	5
61	single-phase transformers 200 KVAR 220/380	28
Shelf 503		
62	rolls corrugated pipe sheath diam 40 (120 mt) + diam 50 (10 mt)	130
63	REACTOR HF 12 SPIRE 48-52uH cod. 52110064	26
64	transformers 24 Volt KWA 0.08 V2 cod. 52110007	14
65	TF transformers 1715/6 + inductance coils 48-52 uH 13 coils	10
66	block contacts 2NO Siemens 3RH1921-1EA20	12
67	block contact Siemens 3RH1921-1CAD1 50,200,048	13
68	auxiliary contact Lovato 11G218	8
69	auxiliary contact Lovato BFX1022	1
70	auxiliary contact Lovato BFX1011	1
71	Siemens auxiliary contact RH19211FA31	1
72	Siemens block 3RH1911 / 1AA10 contacts	5
73	spool shielded cable DK29 / 08/01 for thermocouples	10
74	spool shielded cable 2 mm.	10
75	52-56 uH transformers	18
76	cable skein TRIVENETA FG7R06,1 KW	1
77	1x120 shielded cable 10 mt	10
78	shielded cable 1x50 20 mt	20
79	1x50 Cable Drain 20 mt	1
80	cables various measures 200 mt.	1
Shelf 504		
81	hose LIQUID-TIGHT flexible SHEATING diam. 15x20 50 mt	50
82	multiple cable TUTOR FROR-300-500 16G1 20x22 IICS IMQ 8 mt.	8
83	multiple cable IPERFLEX CJ1 12x1 50 mt.	50

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

Prog.	Description	Quantity
84	ceramic sheath 150L diam 40	1
85	FLEX cable 10 mt.	10
86	derivation boxes PALAZZOLI ALUPRESS 150 031	7
87	GW44217 GEWISS cassettes	3
88	GW44207 GEWISS cassettes	5
89	seal DK 70300180 50 mt.	50
90	ferrites for transformers OPDEL	17
91	cable ECOFLEX CEI 2022 FG7OR-06/1 KU 4G2,5 30 mt	30
92	cable ECOFLEX CEI 2022 FG7OR-06/1 KU 5G4 40 mt	40
93	shielded cable FROH 2R4G1 160 mt	1
94	shielded cable FROH 2R3G1,5 90 mt	1
Shelf 505		
95	cones for E65 spirals cod. YES 800 100	324
96	timers 0-24 COUPTAN 10 A, 380 V C53T125	8
97	SCHINEASAL safety switches IP 67 IEC 947-5-1 VDE 0660 AC-15 230 V 4 A	5
98	timers PMH MITSUSHITA PMH-10H AC 220V AT4212	3
99	digital timers 4 various times	3
100	timer Jenco 3671	1
101	LOVATO contactor boxes Protection LM2111	3
102	LOVATO contactors LM 525	3
103	contactor BTICINO E84 / 16 4 poles	1
104	junction boxes PALAZZOLI alu 120x120x H60	10
105	junction boxes PALAZZOLI alu 90x90xH60	11
106	junction boxes PALAZZOLI alu 150x150xH80	1
107	shielded cable NP1 FROR 450/750 OV 3G4 25 mt	25
108	shielded cable NP1 FG7OR 06/1 / 3G4 KV 100 mt.	100
109	cardboard of various cards for printed products OPDEL	2
110	ceramic fiber rings for Volcano 3000 78 x 54 mm. X 15 mm thickness	660
111	ceramic fiber rings 114 x 80 mm X 15 mm thickness	130
112	ceramic fiber rings 162 x 126 mm X 15 mm thickness	65
113	ceramic fiber rings 125 x 90 mm X 15 mm thickness	260
114	ceramic fiber rings 12 x VOLCANO 115 x 80 mm X 15 mm thickness	380
115	ceramic fiber rings ETNA 30 180 x 130 mm X 15 mm thickness	82
116	cap ceramic gas FCC 60 thickness 25 mm.	62
117	Ceramic shirts for FCC 7	50
Shelf 506		
118	RA200615 relay 3A 220V	8
119	overvoltage limiter SIEMENS 3T x 402-3209605	8
120	SIEMENS coils TF33 24 V.	5
121	coils SIEMENS 3TH3 4/8 3T84 3TF3 / 4 50 HZ 220V and 264V x 60HZ.	2
122	coils SIEMENS 3TF 4849 3T K48 3TX7483-OAC 2 085-1,1US 24 V.	2
123	coil IME TAS 208 -694072C 072 / 3KW 40/60 HZ	1
124	Programmer GE CA-LOGIC 200 230 16 V / 250 V 4A R200	1
125	coils CAMOZZI G73 24 VDC 5 W	9

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

Prog.	Description	Quantity
126	interruttori of PIZZATO FR 690 position	2
127	MOELLER position of switch 24 DC 8 W.	2
128	ceramic terminals for engines	10
129	SUNY sensor CX22PN	1
130	magnetic position sensors SHIELD 1A 250V 50W FFV-110AOX	4
131	position switches mechanical XCM-A1102x1	4
132	disconnecter switches for BRETER LA7-63 NP-21 AC A 63 A.	5
133	micropumps	2
134	socket interlock panel 3 + T 380 V	1
135	motor terminals 6P 95 x 60	16
136	Type K thermocouples l. 100 mm. 3 mm diam.	2
137	type K thermocouples l 300 mm 5 mm diam.	6
138	Type K thermocouples l. 200 mm 4 mm diam.	10
139	thermocouple type K l. 600 mm. Dia 3 mm.	1
140	thermocouple type K the. 500 mm diameter 3 mm.	1
141	thermocouple type K l. 250 mm diameter 1.5 mm.	1
142	K type thermocouple x 2000 FV ceramic l. 250 mm 2 mm diam.	1
143	thermocouples type KL = 320 mm. Diam 4 mm.	6
144	Type K thermocouples l 400 mm. Diam 4 mm	5
145	thermocouple type K l. 400 mm. Dia 3 mm.	1
146	Type K thermocouples l 800 mm. Diam 6 mm.	2
147	Type K thermocouples l. 150 mm. Diam. 4 mm.	5
148	ceramic terminals FP125 3 P	2
149	ceramic terminals FP 25 3 + 1 P	4
150	ceramic terminals FP 16 3 + 1 P	11
151	terminal blocks 50 x 32 mm.	14
152	current filter STEI 480 V 16 A 60 ° C.	6
153	current filter STEI 480 V 30 A 60 ° C	1
154	horizontal thermometer TM / 621/99 complete with 1/2 "	19
155	attacks 1/2 "horizontal thermometers	12
156	water pressure gauge 1/4 diam 60	3
157	water filter 3/4 "ACQUASAN cartridge	6
158	water filter 1/2 "METALIFE cartridge	1
159	filter cartridge for water filter	6
160	stainless filter cartridge 1 "F891 cod .60400007	2
161	filter cartridge x GFF filter cod. 6040003	13
162	thermocouple type N l, 200 mm diam 1 mm	2
163	the N-type thermocouple. 160 mm 1 mm diam	1
164	connectors type SM A ceramic thermocouple type N	13
165	the N-type thermocouple. 200 mm 3 mm diam.	2
166	thermocouple type N l 250 mm diameter 3 mm.	4
167	the N-type thermocouple. 100 mm 3 mm diam.	1
168	thermocouple type N l 150 mm diam 1.5 mm	1
169	Cable compensated for temocoppie 15 mt.	1

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

Prog.	Description	Quantity
170	sheath made of silicon carbide diam 36/27 l. 350 mm	1
171	type K thermocouples l 100 mm. With ceramic sheath 9 mm diam	4
172	aluminum supports for thermocouples K Italcoppie	3
173	filter current FRLP 10A Mitsubishi FREQROLL	2
174	COGEMA filter 250/400 V 3x50 A 50x60HZ	4
175	COGEMA filter 250/400 V 3x30 A 50x60HZ	3
176	COGEMA filter 115/250 V 32 A mono	2
177	A filter DIEL 380 V 3x16	4
178	A filter DIEL 380 V 3x40	1
Shelf 507		
179	transformers for OPTIMED	15
180	disconnectors door lock BRETER 120 A	2
181	disconnectors door lock BRETER 50 A	5
182	screw lugs eyelet 16-100 A	100
183	fusebox in ferrules	4
184	big lug screw	4
185	in diameter comb terminals 14 - 16	20
186	diameter comb terminals 12-14	25
187	diameter comb terminals 9-12	19
188	diameter comb terminals 6-8	20
189	ceramic terminals 4P diameter 6/4 mm	8
190	screw lugs eyelet OC10 202 DECO	16
191	screw lugs eyelet OC10 204 DECO	20
192	screw lugs eyelet OC10 205 DECO	17
193	screw lugs eyelet OC10 206DECO	20
194	screw lugs eyelet oc9-11 BM	20
195	screw lugs eyelet oc46 BM	20
196	screw lugs eyelet oc46 BM	20
197	screw lugs eyelet oc11-14BM	20
198	screw lugs eyelet oc11-13 U BM to 2 gr	50
199	screw lugs eyelet oc14-16 U BM to 2 gr	100
200	Nylon upper reservoir Asturo kg 0, -2.25	16
201	FCC140 hacksaw blades for diam 250	4
202	1000µF capacitors	20
203	Wire Tie straight BM 5278 diam Article 20	30
204	Wire Tie straight BM 5277 diam Article 16	30
205	Wire Tie straight BM 5276 diam Article 10	58
206	Wire Tie straight BM 5275 diam Article 8	20
207	Wire Tie straight BM 5274 diam Article 6	40
Shelf 508		
208	Components for welder	1
209	insulators 30x14 din Bar	20
210	screw M6x70	1
211	screw M6x60	1

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

Prog.	Description	Quantity
212	copper brackets L = 25	25
213	copper locking brackets	25
214	bracket copper conductor	25
215	ELNN EZMD / 50BA CMS	100
216	ELNN EZMBA SECUBAC	100
217	ELNN EZDADOQM8	100
218	Lock auxiliary safety water FCC60 / 25	1
219	Gas spring ATLA5 code 2814700 80 (700)	2
220	Gas spring ATLA5 cod. 281070055 RF5-B51	2
221	Inductor for high-frequency Ø110	2
Shelf 509		
222	Cable gland for spiraled sheath Ø32	26
223	Gland for guina spiral Ø40	6
224	Attack spiraled sheath 90 ° Ø32	17
225	Attack spiraled sheath 90 ° Ø40	4
226	Brass nut for cable gland 1 "1/4	22
227	Ties sheath Ø32 / 40	30
228	chain sprockets ASA40-1 1/2 "LIND	15mt
229	Sprockets ASA40 30D. Ø130	7
230	Sprockets ASA40 14D Ø65	4
231	differential module Biticino 230/400 0,03A 4P G43 / 63AC	2
232	Telemecanique contactor 110V 50 / 60Hz 4kW / 400 LC1D09F7	2
233	Telemecanique contactor 110V 50 / 60Hz 4kW / 400 LC1DC901	2
234	Breter switch 40A 3P LE3-40-1753 14.141.130.01	8
235	4polo NPZU63A LE7-63-NT Breter 14.402.105.02	4
236	4polo NPZU80A LE7-80-NP Breter 14.403.104.02	4
237	Proximity Switch Omron E2E-X4MD1 12V 24VDC 2m	3
238	Auxiliary Contact Siemes 3UA50 00-1C 1,6-2,5A	1
239	Deposit Rack for Metal commands 500x270	1
240	Cassette Rack 10.5 "MGPW	1
241	column casting tempered Ø40x320	1
242	meter self-cleaning capacity Caleffi 669 050	2
243	meter self-cleaning capacity Caleffi 392600	1
244	meter self-cleaning capacity caleffi 552,140	1
245	igniter unit for FN / FR 15910400 Brahma cod type TV1LUCAF	3
246	igniter unit for FN / FR 15911150 Brahma cod type TC25VCA	1
247	igniter unit to Brahma cod 18022502 button type AT5 / TR	1
248	Valve MTU area Mutomeccanica Tovo 2-3vie series SF15 / 2	3
249	compl system. Unit for RDSN "RTA"	1
250	compl system. RDSN BCM02 unit for type 1292	1
251	compl system. Unit x RDSN type PSU 65/8 9104019	1
252	compl system. Unit x RDSN ABC type 65/8 9105035	1
253	compl system. Unit x RDSN	1
254	Level sensor F7-PP	1

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

Prog.	Description	Quantity
255	rotary sensor MO Gems P / N 155 480	1
256	Valves Water Filter 3/4 "	3
257	valve water filter 1/4 "	1
258	vacuum gauges horizontal obbi + Ø40 filters	7
259	2-way solenoid SIRAI type Z323D V220 50Hz Ø1 / 4 "	5
260	PM133 Parker Solenoid Valve 3/8 "	3
261	for solenoid valve coil cod 2B16 24VDC 304 054	8
262	for solenoid valve coil cod 2B05IMQ 220V 50 / 60Hz 304012	4
263	SCEM valve 01 / 1032A 131N2 A4 1/84	4
264	Parker Solenoid G31078	1
265	kind of safety valve M16 / RM 500 mbar 220V 19VA U9300182 1/2 "	1
266	electromechanical control unit for single phase motors	1
267	universal voltage regulator P = 2-3.5 kVA	1
268	Pallet Flow A5,8Lt	1
269	poly switch Vemer CA0120009PL2 16A 500V cod. VB175900	1
270	Lock Contact ausliario Siemens 3TX40	17
271	Thyristor Gossen 5WG 800A 0.05 / 10 kHz 24 / 1200VA	1
272	Solenoid Gas 2.5mm Parker F / N 363435 PM146Wv 1/4 "Use Coil 2BØ9-12 YBØ9-12	12
273	Parker Solenoid 24V 2H14 1/8 "146,3ABV K2	1
274	Solenoid CEME spa cod 8713NN0125 457 ESM V.24 Hz50 VA12 DM12-3 / 8 "P.0,2-10b	9
275	Solenoid CEME SpA cod 8713NN0125 452 serie8713 ESM V.24 Hz50 VA9 DN12-3 / 8 "	10
276	Solenoid CEME spa cod 6712EN2-85 B52 serie 6Hz tip EMB 1V.24 50Hz VA12 D. 2.8 t	3
277	High precision pressure sensors with signal contacts	1
278	Inverter Ghisalba mod MSD-2P5-HIF AC Drive	1
279	Inverter Siemens Micromaster 6SE3113-6CA40 230V 750W 47-63Hz 3,4 1,00HP Sieme	1
280	Inverter Siemens Micromaster 6SE3016-48C00 18A 230V 47 / 63Hz 1500W 2,00HP	1
281	Programmer G2X12E cod. RF0 1/4 "	1
282	45x45 Programmer CHNT type: JSS48A S-220V 0.75A 80V / 0,47A	4
283	Programmer Eliwell mod.EWTR 915 / H cod.TISKH70000	1
284	Gefran Programmer type: 500-02-RO-1-NG2 cod.96113427	1
285	TRM DRPM Programmer	2
286	Programmer Analog and Digital to control Gefran MTS32	1
287	Voltmeter FCMisure mod.MQ72 MC72 300V-100V	3
288	Voltmeter Deim 96MC 100V 1mA	1
289	Digital programmer Eliwell EWPC902 / T	1
290	Time switch Herholat PLUS72 Q / GS	1
291	RCH 01DM60 Timer	3
292	Thermosystems Emmegroup mod.843 / M	1
293	Phase Filter EUROTTEK type FS52050-75	2
294	Gas detector	1
Shelf 510		
295	Electric motor 2P 3F type 63B4 Kw0,18 1400 with reducer STM502 RN1 505 1/100 210	1
296	Reducer STM RM1 505 1/100	1
297	Reducer STM type CB40 Ratio 1 / 453.3 2120013621	1

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

Prog.	Description	Quantity
298	Motovibratore OMB type BM65 / 3 / N RPM3000 FcN6 / 47 220V Kw0,09 SC6	1
299	Motor cover ventukata Fulltech 9710 AC230 red. UF-91B23	2
300	Cylinder Camozzi 61M2P040A0125 with attacks	1
301	Reducer Vervel FRS40 C.19 63B5 1/40	1
302	Reducer CMR CMRV75 1/100 061230	1
303	Adapter Tecnoigranaggi mod.MP.080.3.64.15 31.73-98.4 9.52 for FCC	1
304	Tecnoigranaggi reducer mod.BGT800 stages 3 rap.64 15 '9.52 73 98.4 31K	1
305	Reducer Tecnoigranaggi mod.BGT601 2rap. 16gioco15 9.52 32 5K 73 98.4	1
306	Reducer Tecnoigranaggi TR	1
307	presser power springs for Traini 15KRP / 426 + 15 Ø50x64	18
308	Stepper motor MAE 200 p / G HY200-3424-170A8	1
309	Stepper motor MAE 200 p / G HY200-3477-400A8	4
310	Stepper motor MAE 200 p / G HY200-3450-350A8	2
311	Stepper motor MAE 200 p / G HY200-3438-Ø280AX08	3
312	Stepper motor MAE 200 p / G HY200-4247-310B8	1
313	Platinum Crucible Zirconox for Ø22 / 18/75 PTM	2
314	Platinum Crucible Zirconox for Ø60 / 50/75	2
315	High Temperature Cement	1
316	Crucible Silimanite for Platinum Ø46x30x59 type 6906 8A / 1	5
317	Crucible Silimanite for Platinum edge Ø46x90 be cemented	2
318	Tiger crucible for Platinum	12
319	Crucible Steel for Tiger tapered Ø57x80	10
320	Crucible Steel for Tiger Ø50x120 edge	4
321	Crucible Steel for Tiger Ø68x97 M3	2
322	Graphite crucible Yasui Casting	2
323	Crucible for platinum casting 5400.02	2
324	Crucible for gold castubg 5600.4	2
325	Stopper ceramic casting Ø12 L = 180	4
326	Platinum Crucible Ø43x55 edge	4
327	Pneumatic cylinders Metalwork code217020030CP 025-0030	5
328	Pneumatic cylinders Camozzi cod QP2A025A025	2
329	Pneumatic cylinders SCM mod.FCBQ2B40 75D CTIT21002	4
330	Cylinders Metalwork tires queues 121320050CN Ø32-0050 ISO6431-VDMA	1
331	Pneumatic cylinders SCM mod. ECQ2A63-75D	2
332	Pneumatic cylinders Metalwork mod.21206300100	1
333	SMC pneumatic cylinders with stroke sensors 240V 1.5A CD85N25-125-B 108 522 072	1
334	Pneumatic cylinders Camozzi Ø50 L = 200 27U2A50A0200	1
335	Pneumatic cylinders SMC C02825-10D	1
336	Pneumatic cylinders SMC CD85N25-100A 9403359	1
337	Pneumatic cylinders Norgren RM / 8025 / M125	2
338	Pneumatic cylinders Metalwork 1210320050CN 150 6431-VDMA	2
339	Metalwork pneumatic cylinder	1
340	Pneumatic cylinders Metalwork 121400200CN 40,200	1
341	Pneumatic cylinders Metalwork 1210500400CN 50.1400	2

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

Prog.	Description	Quantity
342	Pneumatic cylinders SMC ECDQ2B63-80D	1
343	Pneumatic cylinders SMC ECQ2B180-10DC 180-10	1
344	Pneumatic cylinders SMC ECQ2B140-10DC 140-10	1
345	Pneumatic cylinders SMC ECQ2B80-25D	4
346	Pneumatic cylinders Camozzi 24N2A25A025	1
347	Pneumatic cylinders Camozzi QP2A080A020	4
348	Pneumatic cylinders SMC ECQ2B63-40D	1
349	KUHNKE cylinder 18.108.0050 Support	7
350	cylinder AIRWORK UG200825050G Support	1
351	Attack M16x15 cylinder rod	4
352	Rotary Joint turian GR1FRH 4bar 35 RPM 45/05 3/8 "	4
353	Air Valve Camozzi N1 MA 455-015-22	4
354	Pneumatic valve Metalwork 50V NC 43505	2
Shelf 520		
355	duct roller 30 x 30 5 mt	1
356	media guide with adjustable bearings 220 x 180 mm x cart saw FCC140	4
357	media guide with adjustable bearings 180 x 150 mm x cart FCC140 advancements	2
358	media guide for advancements 80 x 120 mm.	2
359	48L100F toothed pulleys	2
360	conveyor rollers diam 60 x 200 mm.	6
361	funnels with lids in acc. Inox x FCC and ETNA	16
362	FCC60 bowls casting protection	3
363	water filter x 140 FCC	1
364	aluminum plates x ETNA plant 140 340 x 330 x H30	3
365	aluminum plates x ETNA plant 140 410 x 285 x H30	2
366	aluminum plate for high power plant frequanza 200 x 350 x H18 mm.	1
367	gas pistons ATLAS 198.320.37-RS1-TF2 I. 320 mm.	2
368	rails to the bearings. 700 mm. X 37 mm.	2
Shelf 511		
369	plate soprapastiglia T12 / 15/18/22	1
370	minicompact system without board 065 EDMF	1
371	pack capacitors ccon 20 360001 COND 8.4 MF MF T05	2
372	bakelite plate plant FCC	6
373	resistance ATE RBN50 33R	62
374	resistance ATE RBN50 10R	96
375	ATE resistance RB 50 220R	108
376	ATE resistance RB 25 22R	26
377	ATE resistance RB 50 22R	20
378	resistance ATE RBN50 20R	200
379	actuating tab Micromatic	2
380	Keyboard tab FCC 12/94	1
381	bar with negative T22 plant H 15 x 135	6
382	bar with negative T22 plant H 15 x 31	6
383	bar with positive T22 plant	4

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

Prog.	Description	Quantity
384	block connection induced T22	1
385	Cap link / thyristor T22	3
386	block with capacitor T22 H 50 x 175	6
387	block with capacitor T22 H 50 x 140	5
388	block with capacitor T22 H 25 x 140	12
389	connection thyristor hobs above T 05	5
390	Cap link T05	6
391	Bakelite plant connection T05 / T08	5
392	ground connection under thyristor T08	16
393	block connection induced T05 / T08	20
394	copper block in front of the condenser T08	10
395	connection mass bridge over T08	20
396	copper behind under capacitor T08	12
397	above ground connection thyristor T08	19
398	Complete T05 capacitor	2
399	Capacitor 015 / 3000V	805
Shelf 512		
400	material box Rotocast	1
401	AL1 card printer feeder FCC	1
402	Optimed card V99 rated for Rotocast	1
403	4/95 interface card micro Rotocast	1
404	1/95 card micro x Rotocast	1
405	electrical material for Rotocast	1
406	pann AU command towing converter FCC plant Emmedi	4
407	pann AU OptiControl vers. 95	1
408	pann AU OptiControl x FS 1 ° vers.	2
409	pann AU keyboard micro FCC	3
410	pann AU printer FCC	4
411	pann AU + converter control board 7 alarms with pot	2
412	kit to change spillway FS ovens	1
413	Full editing spillway x SF Round	1
414	Sampling moreno old machines cards	1
415	Control gear plate T45	1
416	negative busbar connection T45	1
417	connecting upper lower plates T45	1
418	upper support plate T45	4
419	CMF connection module T03	23
420	copper capacitor plate M03 185 x 40	21
421	copper capacitor plate M03 130 x 30	14
422	primary transformer 0-230 V SEC 15 VA	1
423	connection bulk modulus M03	25
424	Control gear plate M03	21
425	GEWISS box T05 capacitors	2
426	plate raffredd- plant T05	6

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

Prog.	Description	Quantity
427	kits for MF capacitors T22 of mu20	1
428	plate components T08 plant	7
429	Box x GEWISS T08 capacitors	8
430	TA TAR 1D1 150 / A	18
431	TA TAR 1D1 250 / 1A	1
432	TA CTD2 A 60/50	1
433	0047 uF capacitor / 3000 V	1425
Shelf 513		
434	custom printer material	1
435	Box cond- 0047MF / 3000V, 0047MF / 2000V, 0015MF / 3000V	1000
436	cond. 0015MF / 3000V	575
437	Transfer CS TEFMA	138
438	MU05 compact complete system for FCC 07 and FS 05	1
439	capacitor	1
440	half-bridge IRKD 71 -6	1
441	half-bridge semikron SKKD 105 F08	4
442	half-bridge IRKD 50-04	2
443	half-bridge EUPEC DD90N Ø8L	7
444	half-bridge IRKD 91106	3
445	capacitors x 0.11 EMMEDI plant MF 1000 V	6
446	board ES103	2
447	EDMF board 05	2
448	transformer for printed circuit TEFMA	281
Shelf 515		
449	Shirt ceramic OPC-A03 1500 ° C	2
450	axial motor with reducer	1
451	cylinder for casting with flange Ø150x310	1
452	cylinder for casting with flange Ø125x250	4
453	cylinder for casting with flange Ø100x200	1
454	cylinder for casting with flange Ø90x150	3
455	cylinder for casting with flange Ø125x220	2
456	cylinder for casting with flange Ø220x380	1
457	cylinder for casting with flange Ø320x350	1
458	cylinder for casting with flange Ø150x360	1
459	cylinder for casting with flange Ø70x120	3
460	cylinder for casting with flange Ø80x120	1
461	cylinder for casting with flange Ø80x140	1
462	cylinder for casting with flange Ø70x85	1
463	cylinder for casting without flange Ø90x100	1
Shelf 516		
464	charger great grit	3
465	Printer model citizen. IDD 560	1
466	Thermal Printer Custom FT190-T3-0000	1
467	rubber Case for casting Ø100	13

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

Prog.	Description	Quantity
468	rubber Case for casting Ø120	3
469	rubber Case for casting Ø80	4
470	rubber Case for micrufusione Ø70	20
471	crucibles box for centrifugal casting various measures	2
472	Crucible ceramic steel 70x100	6
473	Crucible graphite casting centrifugal Ø40x75 manfredi	8
474	custom built PCTPT Printer	1
475	Tiger platinum crucible to 5246	1
476	Crucible for platinum and steel tiger	1
477	Silica crucible for wire PTM2000	40
Shelf 517		
478	Dora crucible holder PTM2000	3
479	Crucible for platinum and steel sizes	4
480	MF system for FCC25	1
481	Single-phase transformer 200VA 0-9-18	9
482	Single-phase transformer 200VA 0-9-18	7
483	Cans with plastic lids with seal 500cc	123
484	Cans with plastic lids with seal 250cc	256
485	Cans with plastic lids with seal 1000cc	60
Shelf 518		
486	Parts boxes multicolor	4
487	Adapter	1
488	FCC60 complete system (consisting of 2 pcs)	1
489	FCC12 system	1
Shelf 519		
490	Transformers	7
491	reactor 100A	1
492	Inductance MU05 Compact	1
493	Transformer oil (capacitors)	2
494	Inductance facility MU08	1
495	Inductance facility MU05	2
496	Inductance facility MU10	1
497	reactor 100A	2
498	reactor 80A	3
499	100µF / 700V Capacitor	6
500	PCB transformer 2x18V 09-0-24	5
501	RS Capacitor 1000µF / 400V	5
502	Capacitor ICAR THYD3X-2-205 2µF / 1600V	2
503	Capacitor ICAR THYD3X-1-205 1µF / 165V	6
504	Clamp with wooden stocking for gold- workbench	1
505	Programmer for testers EXPRO60	1
506	Winder for large cylinders casting tape	1
507	Winder for small cylinders casting tape	2
508	spiral RESISTANCE ø12 18 Ohm 3000W	7

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

Prog.	Description	Quantity
509	September RESISTANCE TO FLASK FN04 - MICHELANGELO	1
510	September RESISTANCE TO FLASK FN04 - MICHELANGELO	1
511	September RESISTANCE TO FLASK FN40	1
512	September RESISTANCE TO FLASK FN02 LONG	1
513	September RESISTANCE TO FLASK FN40	1
514	spiral RESISTANCE ø12 18 Ohm 3000W	3

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.