

Prog.	Description	Brand	Model	Year	Quantity	Ref.
1	flex	bosch	gws 18-230		1	1
2	countersink kit for copper				1	2
3	screwdriver kit	wurth	14.4 volt a batteria		1	3
4	tessellator kit	wurth	h28 mas		1	4
5	tool drawer	wurth	3 scomparti		1	5
6	mini screwdriver kit, jigsaw, cleaner				1	6
7	flex small	makita	9554nb		1	7
8	pipe supply chain	rigid	1/2 a 2 pollici (modello 690)		1	8
9	tool box	comec			1	9
10	sv 35 profile pliers for carbon steel fittings				1	10
11	sv 28 profile pliers for carbon steel fittings				1	11
12	sv 22 profile pliers for carbon steel fittings				1	12
13	vacuum pump for air conditioning systems	idrhaus		2008	1	13
14	screw box				1	14
15	medical box	wurth			1	15
16	toolbox	wurth	5 scompartimenti		1	16
17	star and split keys		varie misure		11	17
18	backpack with safety belt				1	18
19	pipe cutter		da3/8 a 2 pollici		1	19
20	level				1	20
21	countersink for air conditioning pipes				1	21
22	scissors				2	22
23	drill bit		12 mm		1	23
24	tin torch				1	24
25	cable cutting pliers				1	25
26	screwdrivers				1	26
27	star and split keys		varie misure		15	27
28	hammer				1	28
29	socket wrenches				3	29
30	ant desks				4	30
31	drawers		4 cassetti		1	31
32	Presidential armchair in black imitation leather				1	32
33	armchairs with armrests in black fabric				3	33
34	chair with armrests in red fabric				1	34
35	low cabinet with 2 door fax machine				1	35
36	fax	samsung			1	36
37	metal furniture with 4 drawers for filing cabinets				2	37
38	formica open cabinet with 4 shelves				1	38
39	metal cabinet		190x2 a cinque ripiani		1	39
40	2-door low metal wardrobe with 3 shelves		2x1 metro		1	40
41	plastic black paper bin				1	41
42	destroy documents	rexel			1	42
43	personal computer + monitor and keyboard				1	43
44	personal computer + monitor and keyboard	hp			1	44
45	personal computer + monitor	acer			1	45
46	wireless mouse				1	46
47	external hard disk	wd	my passport		1	47
48	desktop calculator	casio			1	48
49	desk phone	esse-ti	st 501		1	49
50	small desktop calculator				1	50
51	metal iron baskets				3	51
52	split + engine	aermec			1	52
53	monitor	haier			1	53
54	stabilizer	tecnoware			1	54
55	bitches		diametro 110 a 45°		10	55

The Quantity shown may be subject to change
In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

Prog.	Description	Brand	Model	Year	Quantity	Ref.
56	britches		diametro 110 x 15 a 45°		15	56
57	britches		diametro 90 a 45°		7	57
58	britches		diametro 110 x 50 a 45°		3	58
59	inspection fittings		diametro 110		9	59
60	expansion joint		diametro 110		7	60
61	curves		diametro 125 a 45°		13	61
62	curves		diametro 110 a 87,5°		2	62
63	curve		diametro 110 a 45°		1	63
64	curves		diametro 110 a 30°		2	64
65	increases		diametro 110x90		11	65
66	curve toilet		diametro 110 a 90°		1	66
67	curves		diametro 90 a 87,5°		3	67
68	curves		diametro 90 a 15°		2	68
69	curve		diametro 90 a 30°		1	69
70	curves		diametro 75 a 87,5°		2	70
71	britches		diametro 75 x 50 a 45°		8	71
72	bRAGA		diametro 75 a 45°		1	72
73	curves		diametro 75 a 45°		8	73
74	inspection fitting		diametro 75		1	74
75	sleeves		diametro 75		2	75
76	increases		diametro 75 x 50		4	76
77	increase		diametro 90 x 50		1	77
78	tube		diametro 110 lungo 2 metri a doppio bicchiere		1	78
79	tube		diametro 110 lungo 1,5 metri a 1 bicchiere		1	79
80	tube		diametro 110 lungo 1 metro a doppio bicchiere		1	80
81	tubes		diametro 75 lunghi 3 metri a 1 bicchiere		20	81
82	tubes		diametro 75 lunghi 2 metri a 1 bicchiere		6	82
83	tube		metri 19 multistrato diametro 63x4,5 per acqua		1	83
84	tube		metri 8 multistrato diametro 40x3,5 per acqua		1	84
85	roll of multilayer pipe		50 metri diametro 32x3 x acqua		1	85
86	roll of multilayer pipe		200 metri 16x 2 per pavimenti		1	86
87	tees		dn 125 a saldare		2	89
88	tees		dn 100 a saldare		3	90
89	curves		dn 125 a saldare		3	91
90	tees		dn 65 a saldare		4	92
91	reductions		dn 125x100 a saldare		3	93
92	reductions		dn 80x65 a saldare		9	94
93	reductions		dn 80x50 a saldare		4	95
94	bottoms		dn 125 a saldare		15	96
95	caseback		dn 150 a saldare		1	97
96	flanges		dn 125 a saldare pn 10-16		17	98
97	blind flange		dn 100 pn 10-16		1	99
98	flange		dn 100 (4") filettata pn 10-16		1	100
99	flanges		dn 80 a saldare pn 10-16		3	101
100	flange		dn 65 a saldare pn 10-16		1	102
101	flanges		dn 40 a saldare pn 10-16		2	103
102	wafer valves Jul		dn 125 pn 10-16		14	104
103	wafer valve		dn 100 pn 10-16		1	105
104	wafer valves		dn 50 pn 10-16		8	106
105	wafer valves		dn 40 pn 10-16		5	107
106	wafer valves		dn 32 pn 10-16		2	108
107	threaded lever valves		diametro 2 1/2 pollici femmina/femmina		6	109
108	clapet valve		dn 65 flangiata		1	110
109	balancing valve		diametro 2 pollici filettata		1	111
110	curves	frabo	diametro 54 a 90° femmina/femmina		54	112

The Quantity shown may be subject to change
In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

Prog.	Description	Brand	Model	Year	Quantity	Ref.
111	curves	frabo	diametro 54 a 45° femmina/femmina		9	113
112	sleeves	frabo	diametro 54 femmina/femmina		30	114
113	tees	frabo	diametro 54 femmina/femmina		6	115
114	tees	frabo	diametro 54x35x54 femmina/femmina		2	116
115	curves	frabo	diametro 42 a 90° femmina/femmina		12	117
116	curves	frabo	diametro 42 a 45° femmina/femmina		9	118
117	sleeves	frabo	diametro 42 mm		13	119
118	tees	frabo	diametro 42x22x42 femmina/femmina		48	120
119	tees	frabo	diametro 42x28x42 femmina/femmina		3	121
120	curves	frabo	diametro 35 a 90° femmina/femmina		2	122
121	sleeves	frabo	diametro 35 mm		2	123
122	tees	frabo	diametro 35x22x35		4	124
123	fittings	frabo	diametro 35x 1 1/4 pollici maschio		10	125
124	tees	frabo	diametro 28x22x28 femmina/femmina		42	126
125	tees	frabo	diametro 28x28x28 femmina/femmina		4	127
126	curves	frabo	diametro 28 a 90° femmina/femmina		8	128
127	curve	frabo	diametro 28 a 45° femmina/femmina		1	129
128	curves	frabo	diametro 22 a 90° femmina/femmina		6	130
129	curves	frabo	diametro 22 a 45° femmina/femmina		3	131
130	curves	frabo	diametro 22 a 45° femmina/femmina		3	132
131	sleeves	frabo	diametro 28		9	133
132	fittings	frabo	diametro 22 x 3/4 pollici maschio		20	134
133	fittings	frabo	diametro 22 x 3/4 pollici femmina		7	135
134	fittings	frabo	diametro 22 x 1/2 pollici femmina		7	136
135	reductions	frabo	diametro 35x28 maschio/femmina		104	137
136	reductions	frabo	diametro 45x28 maschio/femmina		8	138
137	reductions	frabo	diametro 35x22 maschio/femmina		5	139
138	reductions	frabo	diametro 54x22 maschio/femmina		2	140
139	reductions	frabo	diametro 54x42 maschio/femmina		1	141
140	fittings		diametro 3 pollici		6	142
141	joints in 3 pieces		diametro 3 pollici maschio/femmina		2	143
142	sleeves		diametro 3 pollici		20	144
143	reductions		diametro 3 pollici x 2 pollici maschio/femmina		7	145
144	reduction		diametro 4 pollici x 2 pollici maschio/femmina		1	146
145	reduction		diametro 3 x 1 1/2 pollici maschio/femmina		1	147
146	reduction		diametro 2 1/2 x 2 pollici maschio/femmina		1	148
147	reduced sleeve		diametro 3 x 2 1/2 pollici femmina/femmina		1	149
148	reduced sleeve		diametro 2 x 1 pollici femmina/femmina		1	150
149	tees		diametro 3x1/4x3 pollici		2	151
150	elbow		diametro 3 pollici femmina/femmina		1	152
151	tees		diametro 2 pollici		18	153
152	reduction		diametro 3x2 1/2 pollici maschio/femmina		1	154
153	tees		diametro 2x1x2 pollici		5	155
154	tees		diametro 2x3/4x2 pollici		2	156
155	tees		diametro 2x1/2x2 pollici		3	157
156	elbow		diametro 2 1/2 pollici femmina/femmina		1	158
157	elbows		diametro 2 pollici femmina/femmina		4	159
158	caps		diametro 2 pollici maschio		2	160
159	plug		diametro 2 1/2 pollici maschio		1	161
160	plug		diametro 3 pollici maschio		1	162
161	plug		diametro 3 pollici femmina		1	163
162	caps		diametro 1 1/2 pollici maschio		15	164
163	elbows		diametro 1 1/2 pollici maschio/femmina		4	165
164	sleeves		diametro 5 pollici		3	166
165	3-piece joint		diametro 5 pollici		1	167

The Quantity shown may be subject to change
In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.

Prog.	Description	Brand	Model	Year	Quantity	Ref.
166	pipe socket		diametro 5 pollici lungo 20 cm. Filettato		1	168
167	pipe briquettes		diametro 3 pollici lunghi 20 cm. Filettato		3	169
168	electro-welded sleeves		diametro 90 pn 16		8	170
169	electro-welded reductions		diametro 90x63 pn 16		2	171
170	electro-welded tee fitting		diametro 90 pn 16		1	172
171	electro-welded sleeves		diametro 63 pn 16		5	173
172	electro-welded sleeves		diametro 25 pn 16		3	174
173	electro-welded reductions		diametro 32x25 pn 16		2	175
174	curves		diametro 63x63		4	176
175	curves		diametro 63x2 pollici femmina		3	177
176	joints		diametro 63x2 pollici maschio		2	178
177	coupling		diametro 50x 1 1/2 femmina		1	179
178	sleeves		diametro 110 elettrosaldati per scarichi		4	180
179	plenum with detachment		diametro 150 per ufo em 400-16		18	181
180	diffuser		ufo eh 400-16		18	182
181	fire dampers		500x300 ce		3	183
182	fan	sabiana	crc 43		1	184
183	3-way valve kit for fan coil unit				1	185
184	3-way valve kit for fan coil unit	olimpia splendid			3	186
185	metal box for floor systems control units		l 500 h 630		2	187
186	built-in fire box		uni 25 naspo mt. 20		1	188
187	inertial tank of lt. 1000		da 1000 lt. Per acqua calda e refrigerata		1	189
188	cylinders for refrigerant gas recovery kg. 30				6	190
189	galvanized steel pipes		ml 6 diametro 4 pollici		1	191
190	galvanized steel pipes		ml 12 diametro 3 pollici		1	192
191	galvanized steel pipes		ml 30 diametro 2 pollici		1	193
192	galvanized steel pipes		ml 72 diametro 1 1/2 pollice		1	194
193	galvanized steel pipes		ml 93 diametro 1 1/4 pollice		1	195
194	galvanized steel pipes		ml 6 diametro 3/4 pollici		1	196
195	galvanized steel pipes		ml 39 diametro 1/2 pollice		1	197
196	collars with rubber		diametro 1 1/2 pollice		40	198
197	carbon steel pipes fra-press		ml 11 diametro 108 mm		1	199
198	carbon steel pipes fra-press		ml 112 diametro 89 mm		1	200
199	carbon steel pipes fra-press		ml 9 diametro 42 mm		1	201
200	carbon steel pipes fra-press		ml 149 diametro 28 mm		1	202

The Quantity shown may be subject to change

In case of insurgency of any controversy related to the translation of present document, the Italian version has official value.